

PRODUCT CATALOGUE

2025



DECATEL

Over 30 years of experience in rolling stock and industry



For more than 30 years, **DECATEL NV** has been active as a distributor of a wide range of products and systems in technologically demanding sectors, such as:

- Pages 2-3: Railways
- Pages 4-5: Industry
- Page 6: Defense & Aerospace
- Page 7: Smart
- Page 7: Data



Railways:

- Rectangular connector
- Miniature connector
- Automation connector
- Power connector
- Solenoid valve connector
- Relay socket
- Relay
- Terminal block
- Polypropylene capacitor
- Electrolytic capacitor
- Surge protector / lightning arrester
- Medium voltage measuring transformer
- High voltage measuring transformer
- Medium voltage sensor
- Circuit breaker
- Recloser
- Disconnecter
- Adjustable resistor
- Resistor
- Fixed or adjustable vitreous wirewound resistor
- Custom voltage regulator
- Electrical enclosure
- Micro-switch
- Driver's control desk
- Indicator light for control desk
- Push button
- Interactive display
- Traction controller
- Dead man's pedal with / without footrest
- High voltage test equipment




- Thyristor
- IGBT
- GTO
- Diode
- AGM / open lead-acid battery
- Low voltage fuse
- Shunt
- Busbar
- Lugs and ferrules




- Single-conductor cable
- Multi-conductor cable
- Special cables for optical fiber
- Optical fiber probe



- Heat shrink tubing
- Protective sleeve against mechanical stress and friction
- Protective sleeve against temperature: -54° to +1200°
- Electrical protective sleeve: insulation
- Protective sleeve against electromagnetic emissions
- Protective sleeve against noise/vibration
- Protective sleeve for cable bundling



- Grease
- Lubricant
- Glue





Industry:

- Miniature connector
- Automation connector
- Power connector
- Solenoid valve connector
- Medical connector
- Rectangular connector
- Hermetic connector
- Chemical-resistant connector
- Bulkhead connector
- Quick-connect system for standard and safety circuits
- Relay base
- Relay
- Terminal block
- Polypropylene capacitor
- Electrolytic capacitor
- Low-voltage surge protector / lightning arrester
- Indicator light for control panel
- Push button
- Mechanical timer
- Mechanical counter
- Medium voltage measuring transformer
- High voltage measuring transformer
- Medium voltage sensor
- Circuit breaker
- Recloser
- Disconnecter



- Induction heater
- Fire-resistant junction box
- Workstation equipment
- Electrical enclosure
- Sensor (pressure, distance, displacement, temperature, ...)
- Galvanized ground rod
- Copper ground rod
- Grounding accessories
- Copper bar and grounding knife switch
- Adjustable resistor
- Fixed or adjustable vitreous wirewound resistor
- Custom voltage regulator
- High-voltage surge arrester
- Medium-voltage surge arrester
- High-voltage measurement and testing equipment
- Measuring transformer for high-voltage network
- Thyristor
- IGBT
- Diode
- Disposable fiber optic spool for remote-controlled vehicle
- Low-voltage fuse
- Busbar system
- Lugs and ferrules



- Single-conductor cable
- Multi-conductor cable
- Fire-resistant cable
- Drinking water-compatible cable
- Cable for single-use medical devices
- Cable protection
- Cable fastening system
- Piping fastening system



- Heat shrink tubing
- Protective sleeve against mechanical stress and friction
- Protective sleeve against temperature: -54° to +1200°
- Electrical protective sleeve: insulation
- Protective sleeve against electromagnetic emissions
- Protective sleeve against noise/vibration
- Protective sleeve for cable bundling



- Grease
- Lubricant
- Glue



Defense & Aerospace:


- Rectangular connector
- Hermetic connector
- Power connector
- Bulkhead connector
- Disposable fiber optic spool for drone or remote-controlled vehicle
- Single-conductor cable
- Multi-conductor cable
- Special cables for fiber optics
- Fiber optic probe
- Cable fastening system
- Piping fastening system
- Protective sleeve against mechanical stress and friction
- Protective sleeve against temperature: -54° to $+1200^{\circ}$
- Electrical protective sleeve: insulation
- Protective sleeve against electromagnetic emissions
- Protective sleeve against noise/vibration
- Protective sleeve for cable bundling
- Grease
- Lubricant
- Glue





Smart:

- AC charging station
- DC charging station
- Smart charging cable for electric vehicles
- Smart lockers
- Passenger counting system for public transport (onboard)
- Counting system for public spaces (stationary)



Data:

- Fiber optic cabling
- Copper cabling
- Network and server cabinet
- Server power supply
- Multimedia accessories
- Active network components



NOTES:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

CONTACT:

Decatel NV

Technologiestraat, 35
B-1082 Brussels

Phone : +32 (0)2 469 00 90
Email : info@decatel.be
www.decatel.be

VAT : BE 0442 335 242